ELSEVIER

Volume 305, Numbers 1–2, 6 June 2000

Journal of
ALLOYS
AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letter

Crystal structure of $CuSn_3Ti_5$ and related phases L1
J.C. Schuster (Vienna, Austria), M. Naka and T. Shibayanagi (Osaka, Japan)

Physics

XPS, XES and XAS studies of the electronic structure of tungsten oxides 1
O.Yu. Khyzhun (Kiev, Ukraine)

Crystallographic data and magnetic properties of new $ThSi_2$ and $GdSi_2$ derivative compounds in the Gd–Ga–Ge system 7
G. Venturini and A. Vernière (Vandoeuvre les Nancy, France)

Studies on luminescence properties and crystallographic sites of Ce^{3+} in $Ca_3MgSi_2O_8$ 14
H. Lihui, Z. Xiao and L. Xingren (Changchun, P.R. China)

Magnetic phase diagram of $La(Fe_xAl_{1-x})_{13}$ in the vicinity of the ferromagnetic–antiferromagnetic phase boundary 17
K. Irisawa, A. Fujita and K. Fukamichi (Sendai, Japan)

Mixed valence state and electrical conductivity of $La_{1-x}Sr_xCrO_3$ 21
X. Liu (Changchun, China), W. Su (Changchun, Shenyang and Beijing, China), Z. Lu, J. Liu, L. Pei, W. Liu and L. He (Changchun, China)

Magnetic properties of RPdGa (R=Gd–Er) compounds 24
B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), J. Leciejewicz (Warszawa, Poland), A. Szytuła (Kraków, Poland) and A. Zygmunt (Wrocław, Poland)

Optical and electrical changes of hydrogenated Dy films 32
D.E. Azofeifa and N. Clark (San José, Costa Rica)

Electronic structure, hydrogen site occupation and phase stability of Ti_3Al upon hydrogenation 35
D. Sornadurai, B. Panigrahi (Kalpakkam, India) and B. Ramani (Bangalore, India)

Chemistry

Transport properties of intermetallic thulium compounds 43
T.P. Braun and F.J. DiSalvo (Ithaca, NY, USA)

OH–F disorder in non-centrosymmetric $Zn_2(BO_3)(OH)_{0.75}F_{0.25}$: ab initio structure determination and NMR study; comparison with tridymite and fluoride borates 49
G. Corbel (Le Mans, France), E. Suard (Grenoble, France), J. Emery and M. Leblanc (Le Mans, France)

Subsolidus phase equilibria of in the La_2O_3–V_2O_5–Nb_2O_5–Ta_2O_5 system 58
E.V. Arkhipova, M.G. Zuev and L.V. Zolotukhina (Ekaterinburg, Russia)

Crystal structures of two new Ba borates pentaborate, $Ba_2[B_5O_9]Cl{\cdot}0.5H_2O$ and $Ba_2[B_5O_8(OH)_2](OH)$ 63
O. Ferro, S. Merlino (Pisa, Italy), S.A. Vinogradova, D.Yu. Pushcharovsky and O.V. Dimitrova (Moscow, Russia)

Structural and magnetic studies of the lanthanide deficient perovskite $Ce_{2/3}TiO_3$ 72
K. Yoshii (Hyogo, Japan)

Characteristics of a low-cobalt AB_5-type hydrogen storage alloy obtained by a gas-atomization processing 76
H. Yuexiang and Z. Hong (Shanghai, China)

A thermal analysis investigation of the hydriding properties of nanocrystalline Mg–Ni based alloys prepared by high energy ball milling 82
L.E.A. Berlouis, E. Cabrera, E. Hall-Barientos, P.J. Hall (Glasgow, UK), S. Dodd, S. Morris (Farnborough, UK) and M.A. Imam (Washington DC, USA)

Influence of nickel substitution on the crystal structure of $CuCr_2Se_4$ 90
I. Jendrzejewska (Katowice, Poland)

Elsevier Science S.A.

Synthesis, X-ray diffraction and MAS NMR characteristics of nitrate cancrinite $Na_{7.6}[AlSiO_4]_6(NO_3)_{1.6}(H_2O)_2$ 93
J.-C. Buhl, F. Stief, M. Fechtelkord, T.M. Gesing (Hannover, Germany), U. Taphorn and C. Taake (Münster, Germany)

Studies of $BaO–In_2O_3–CuO$ ternary system. Part I: Phase equilibria in the isothermal cross-section of 930°C 103
R. Horyń, E. Bukowska and A. Sikora (Wrocław, Poland)

Studies of $BaO–In_2O_3–CuO$ ternary system. Part II: crystallochemical characterization of the (β)-solid solution 109
R. Horyń, E. Bukowska and A. Sikora (Okólna, Poland)

Synthesis and crystal structure of europium(II) dihydrogen bis(sulfosalicylate) pentahydrate $[Eu(C_7H_5O_6S)_2(H_2O)_5]_\infty$ 117
P. Starynowicz (Wrocław, Poland)

XPS studies of nanometer CeO_2 thin films deposited by pulse ultrasonic spray pyrolysis 121
S. Wang, Z. Qiao (Hefei, PR China), W. Wang (Anhui, PR China) and Y. Qian (Hefei, PR China)

Effects of annealing treatment on phase structures, hydrogen absorption–desorption characteristics and electrochemical properties of a $V_3TiNi_{0.56}Hf_{0.24}Mn_{0.15}Cr_{0.1}$ alloy 125
Q.A. Zhang, Y.Q. Lei, X.G. Yang, Y.L. Du and Q.D. Wang (Hangzhou, People's Republic of China)

X-ray diffraction study of the short-range structure of $LiCl–Li_2O–TeO_2$ glasses 130
Y. Iwadate, H. Kenmotsu, T. Hattori, S. Nishiyama, K. Fukushima (Chiba, Japan), N. Umesaki (Osaka, Japan), T. Nakazawa and K. Noda (Ibaraki, Japan)

Sites and dynamics of hydrogen in $Ti_{0.1}V_{0.9}H_xD_y$ ($x+y\approx0.7$) as studied by ^1H nuclear magnetic resonance 136
B. Bandyopadhyay and S. Hayashi (Ibaraki, Japan)

Metallurgy

Experimental investigation and thermodynamic calculation of excess enthalpies in the Ga–In–Te system 144
R. Blachnik and E. Klose (Osnabrück, Germany)

Neutron diffraction study of incommensurate magnetic order in $TbOs_2Si_2$ and $HoOs_2Si_2$ 153
M. Kolenda (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), J. Leciejewicz (Warszawa, Poland), B. Penc and A. Szytuła (Kraków, Poland)

Thermodynamics of liquid and undercooled liquid Al–Ni–Si alloys 157
V.T. Witusiewicz, I. Arpshofen, H.-J. Seifert, F. Sommer and F. Aldinger (Stuttgart, Germany)

Hydrogen solubility in ternary $Pd_{0.90}Rh_{0.1-x}Ni_x$ and $Pd_{0.90}Rh_{0.1-x}Co_x$ alloys 172
T.B. Flanagan, D. Wang, J.D. Clewley and H. Noh (Burlington VT, USA)

Thermodynamics of gold–erbium alloys 183
R.A. Alqasmi and H.-J. Schaller (Kiel, Germany)

Magnetic viscosity in a UPtAl single crystal 188
N.V. Musbnikov (Ekaterinburg, Russia), A.V. Andreev (Prague, Czech Republic), A.V. Korolyov (Ekaterinburg, Russia) and Y. Shiokawa (Sendai, Japan)

Structural and phase transformations in quenched and aged Zr–Ir alloys 194
N.I. Taluts and A.V. Dobromyslov (Ekaterinburg, Russia)

Preparation and characterisation of the (0001) surface of single crystal NiIn 202
R.I.R. Blyth, R. Resel, F.P. Netzer and M.G. Ramsey (Graz, Austria)

High pressure melting and equation of state of aluminium 209
A. Hänström and P. Lazor (Uppsala, Sweden)

Phase relation in the system Sm–Co–B 216
Y. Chen, X. Li, X.L. Chen (Beijing, People's Republic of China), J.K. Liang (Beijing and Shengyang, People's Republic of China), G.H. Rao and Q.L. Liu (Beijing, People's Republic of China)

Investigation of the Al–Cu–Rh phase diagram in the vicinity of the decagonal phase 219
B. Grushko, J. Gwóźdź and M. Yurechko (Jülich, Germany)

Materials Science

Structure and properties of nanocrystalline TiC full-density bulk alloy consolidated from mechanically reacted powders 225
M. Sherif El-Eskandarany (Cairo, Egypt)

Hydrogen desorption kinetics of a mechanically milled MgH_2+5at.%V nanocomposite 239
G. Liang, J. Huot, S. Boily and R. Schulz (Varennes, QC, Canada)

Hydrogen desorption properties of mechanically alloyed MgH_2 composite materials 246
H. Reule, M. Hirscher, A. Weißhardt and H. Kronmüller (Stuttgart, Germany)

Synthesis of tungsten carbide by dynamic shock compression of a tungsten–acetylene black powder mixture 253
K. Yamada (Yokosuka, Japan)

XPS study on pristine and intercalated tantalum carbosulfide 259
J. Walter, W. Boonchuduang and S. Hara (Osaka, Japan)

Influence of cycling on the thermodynamic and structure properties of nanocrystalline magnesium based hydride 264
Z. Dehouche, R. Djaozandry, J. Huot, S. Boily, J. Goyette, T.K. Bose and R. Schulz (Québec, Canada)

Hydrogen evolution from Zr-based amorphous and quasicrystalline alloys 272
N. Eliaz, D. Eliezer, E. Abramov (Beer-Sheva, Israel), D. Zander and U. Köster (Dortmund, Germany)

Characteristics of $Mg_2Ni_{0.75}Co_{0.25}$ alloy after surface treatment 282
H. Yang, H. Yuan, Z. Zhou, G. Wang and Y. Zhang (Tianjin, China)

Structural and magnetic properties of Nd–(Fe,M)–(C,B) melt-spun ribbons 290
N. Hayashi, M. Daniil, Y. Zhang and G.C. Hadjipanayis (Newark, DE, USA)

Study of hydrogenation of $Sm_2Fe_{17-y}Ga_y$ by means of X-ray diffraction 298
A. Teresiak, M. Uhlemann, M. Kubis, B. Gebel, N. Mattern and K.-H. Müller (Dresden, Germany)

$NiGe_2$: a new intermetallic compound synthesized under high-pressure 306
H. Takizawa, K. Uheda and T. Endo (Sendai, Japan)

Phase diagram and magnetic properties of $Nd_{3-x}Dy_x(Fe,Ti)_{29}$ ($0.1<x<3$) intermetallic compounds 311
M. Gjoka, V. Psycharis (Attiki, Greece), O. Kalogirou (Thessaloniki, Greece), N. Sheloudko (Sofia, Bulgaria), D. Niarchos (Attiki, Greece), M. Mikhov (Sofia, Bulgaria), J. Dode, T. Dilo and Sh. Vyshka (Elbasan, Albania)

Corrigendum

Corrigendum to 'SANS measurements of deuteride formation in single crystal Pd' [J. Alloys Comp. 292 (1999) 134–147] . . 318
B.J. Heuser (Urbana, IL, USA), J.S. King (Ann Arbor, MI, USA) and W.C. Chen (Urbana, IL, USA)

Author Index of Volume 305 321

Subject Index of Volume 305 323

Keyword list